

Safety Data Sheet GHS07 (CLP)



Milk System Cleaner Art.no. 057213 (057214) EN | 10/2020




Rex-Royal AG | Swiss Coffee Machines | Industriestrasse 34 | CH-8108 Daellikon / Zuerich T: +41 44 847 57 57 | F: +41 44 847 57 59 | info@rex-royal.ch | www.rex-royal.ch Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date: 19.01.2018

Version No: 8

Revision: 16.10.2020



Revision: 16.10.2020

Trade name: Milk System Cleaner

	(Contd. of page 1)
• Hazard statement	ts
H315 Causes skin	irritation.
H319 Causes seri	ous eye irritation.
· Precautionary sta	itements
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash thoroughly after handling.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362	Take off contaminated clothing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
2 2 Ath on har and	

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not determined

· vPvB: Not determined

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Dangerous	components:
-------------	-------------

Dungerous components.				
	Ethoxylated lauryl alkohol	< 3%		
	🗙 Xn R22; 🗙 Xi R38-41			
	📎 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315			
CAS: 1310-73-2 se	odium hydroxide	< 1%		
EINECS: 215-185-5	2 C R35			
Index number: 011-002-00-6	Met. Corr.1, H290; Skin Corr. 1A, H314			
· Regulation (EC) No 648/2004 on detergents / Labelling for contents				
non-ionic surfactants, EDTA and salts thereof, cationic surfactants < 5%				

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Take affected persons out of danger area and lay down.

Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek immediate medical advice.

· After swallowing:

Rinse out mouth and then drink plenty of water. Seek immediate medical advice.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3) GB



Printing date: 19.01.2018

Version No: 8

Version No: 8

Revision: 16.10.2020

Trade name: Milk System Cleaner

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released:

Carbon monoxide

Carbon dioxide

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Wear protective clothing.

• 6.2 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of the material collected according to regulations.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
 Information about fire and explosion protection: Keep respiratory.

• Information about fire and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle.

· Information about storage in one common storage facility: Store away from oxidising agents.

• Further information about storage conditions: Keep container tightly sealed.

Store under lock and key and out of the reach of children.

(Contd. on page 4)

GB



(Contd. of page 2)

Version No: 8

Revision: 16.10.2020

Trade name: Milk System Cleaner

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide (< 3%)

WEL Short-term value: 2 mg/m³

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Do not inhale gases / fumes / aerosols.
- Immediately remove all soiled and contaminated clothing.
- Avoid contact with the eyes and skin.
- The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- Protection of hands:



Protective gloves

Avoid direct contact with the chemical/ the product/ the preparation by organisational measures. To avoid skin problems reduce the wearing of gloves to the required minimum.

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

> 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR

• As protection from splashes gloves made of the following materials are suitable: Natural rubber, NR

- Eye protection: Safety glasses
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:		
Form:	Fluid	
Colour:	Light blue	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value (10 g/l) at 20 °C:	11.0 - 11.45	
		(Contd. on page 5)

Printing date: 19.01.2018



(Contd. of page 3)

URNEX®

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date: 19.01.2018

Version No: 8

Revision: 16.10.2020

Trade name: Milk System Cleaner

		(Contd. of page 4
Change in condition		
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	Not determined.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidising properties	No	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

9002-92-0 Ethoxylated lauryl alkohol

Oral LD50 8600 mg/kg (Rat)

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (Rat)

(Contd. on page 6)

GB

Version No: 8

Revision: 16.10.2020

Trade name: Milk System Cleaner

(Contd. of page 5)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitisation: No sensitising effects known.
- Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
- Irritant
- Toxicokinetics, metabolism and distribution No further relevant information available.
- Acute effects (acute toxicity, irritation and corrosivity) No further relevant information available.
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

64-02-8 tetrasodium ethylenediaminetetraacetate

EC50 (24h) 610 mg/L (Daphnia)

|EC50(48h)| > 100 mg/L (Daphnia)|

- LC50 (96h) 486 mg/L (Fish)
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not determined
- · vPvB: Not determined

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- *Recommendation:* Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA

Void

(Contd. on page 7)

GB



Printing date: 19.01.2018



JRNEX®

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date: 19.01.2018

Version No: 8

Revision: 16.10.2020

Trade name: Milk System Cleaner

	(Contd. of page 6)
· 14.2 UN proper shipping name	
· ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage.

- R22 Harmful if swallowed.
- *R35 Causes severe burns.*
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- · Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk UN: United Nations (also UNO: United Nations Organization)

(Contd. on page 8) GB



Version No: 8

Revision: 16.10.2020

Trade name: Milk System Cleaner

(Contd. of page 7) NOEC: No Observed Effect Concentration OECD: Organisation for Economic Co-operation and Development ASTM: American Society for Testing and Materials WAF: Water Accommodated Fraction ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 \cdot * Data compared to the previous version altered.

GB